



# Professional desktop document scanner

with wired and wireless connectivity and dedicated user touchscreen

**ADS-4700W** 









# High-speed wired and wireless network scanner with dedicated user touchscreen

Designed to enable businesses to simplify complex workflows or operational processes. With the simplicity of one-touch scanning, securely capture your documents to easily share and collaborate with colleagues, whether they're at home or in the office.

**ADS-4700W** 



#### **Key features:**

- Scan up to 40 pages per minute
- 2-sided scan up to 80 images per minute and advanced image processing
- 80 sheet Automatic Document Feeder (ADF)
- Large 10.9cm intuitive touchscreen
- Dedicated user interface
- Wireless and wired network connectivity
- SuperSpeed USB3.0 and scan directly to USB host
- Scan from your mobile device with Mobile Connect
- Auto Start Scan, Ultrasonic Multifeed Sensor, Separation Switch, Scan Preview, CIS Cleaning Alarm
- Comprehensive software suite included<sup>2</sup>

#### Fast and reliable

With an in-built Ultrasonic Multifeed Sensor to eliminate misfeeds, the ADS-4700W also has a large 80 sheet ADF capacity and rapidly scans up to 40 pages per minute.

#### Simple and intuitive

Set up a dedicated user interface with one-touch scanning and the ability to add shortcuts to frequently used destinations. You can also use an optional external cardreader to make the scanning process even easier. Just tap the card and add your documents into the ADF to automatically and securely capture the information on the page.

#### **Advanced connectivity**

With USB3.0, USB host, network and wireless connectivity, you can securely scan documents and share with colleagues, without the need for a PC.



#### Advanced image capture and processing

Enjoy effortless and impressive image capture and processing - from easily referencing and locating scanned pages with the digital imprinter, to optimising image quality through the automatic vertical streaks and moiré reduction tools.

The document separation functionality also automatically detects and removes any scanned blank pages, thus reducing file sizes and document preparation time.

#### **Brother ScanEssentials**


As well as easily scanning and saving documents to network folders, our ScanEssentials software provides you with additional features which you can tailor to your business.

For added security, you can set up passwords and protect your workflows, with the option to save your documents in a variety of formats.

The metadata function can also read barcodes or specific strings of text to easily facilitate the separation and file naming of documents.

#### Industry recognised software

Increase post-scanning productivity with industry recognised software including Kofax and NewSoft, available as standard with this device.





#### General

#### **Product Form Factor**

Sheet Fed Desktop Document Scanner

#### **Scanner Type**

Dual CIS (contact Image Sensor), LED Array Light Source

#### **Control Panel**

10.9cm Colour Touchscreen, 4 Keys

#### **Backup Clock**

Up to 24 hours

#### **Local Interface**

SuperSpeed USB 3.0, USB 2.0 Host (Rear)

#### Wired Network Interface

Wired Network interface (10Base-T/100Base-TX)

### Wireless Network Interface

2.4GHz: IEEE 802.11b/g/n, (Infrastructure Mode), Vertical Pairing

#### Wi-Fi Direct™

Scan without having to use a wireless access point (both automatic and manual methods supported)

#### Mobile Scan

View scans on your mobile device from your Brother scanner

#### **Configurable Shortcuts**

Add, delete, change up to 56 personalised shortcuts for quick and secure access to device functions

#### Scan

# Scan Speeds (A4) (Colour & Mono)

Up to 40 (pages per minute)

#### Scan Speeds 2-sided (A4)

Up to 80 (images per minute)

#### **Optical Scan Resolution**

Up to 600 x 600dpi (dots per inch)

### Interpolated Scan Resolution<sup>3</sup>

Up to 1,200 x 1,200dpi (dots per inch)

#### Wake-up Time

USB connected, approx 1 sec from sleep mode

#### **Colour Depth**

48-bit internal 24-bit external

#### **Grev Scale**

256 levels (8 bit)

# Scanner Functions

#### Image Processing<sup>3</sup>

Auto Deskew(Feed)<sup>7</sup>,
Detect End of Page<sup>5</sup>,
Margin Setting<sup>5</sup>,
Auto Image Rotation<sup>5</sup>,
Edge Fill<sup>5</sup>, Tear Fill<sup>5</sup>,
Punch Hole Removal<sup>5</sup>,
Auto Colour Detect Adjust,
Blank Page Removal,
Diffusion Adjustment - Grey,
Colour Tone Adjustment,

#### File Format Support

Including PDF (single, multi, PDF/A-1b, secured, signed), JPEG, TIFF (single, multi)

#### **Standard Functions**

Scan to PC, Image<sup>3</sup>, Network (SMB), Email Server, Workflow<sup>3</sup>, FTP/SFTP, SharePoint(On Premise), Brother Webconnect, Scan to HTTP(S), Brother Apps Background Processing<sup>5</sup>, Colour Drop<sup>5</sup>, Edge Emphasis<sup>5</sup>, Moire Reduction<sup>5</sup>, Vertical Streak Reduction<sup>5</sup>, B&W Threshold Adjustment<sup>5</sup>, Character Correction, B&W Inversion, Noise Reduction, Remove Ruled Line, 2in1 Scan, 1to2 Scan, Carrier Sheet Mode.

#### Scan Profiles<sup>6</sup>

Create up to 25 preset scan to SFTP/FTP/Network/SharePoint/HTTP(s) profiles

#### **Direct Scan**

Scan directly to a USB flash memory storage

Plastic Card Mode, Single Page Scan<sup>5</sup>, Continuous Scan<sup>5</sup>, Multi Feed Detection, Half Speed Mode, Barcode Detection<sup>5</sup>, JPEG Compression<sup>5</sup>, Digital Imprinter<sup>5</sup>, Custom TWAIN Profiles<sup>5</sup>

#### **Feed Control**

Ultra Sonic Multi Feed Sensor, Separation Switch, Scan Preview, CIS Cleaning Alarm Auto Start Scan, Continuous Scan, Resume Scan, Document Separation

#### Software<sup>2</sup>

#### Windows Drivers<sup>7,8</sup>

TWAIN, ISIS, WIA
Windows 10
(Home|Pro|Education|Enterprise)
(32 or 64 bit editions), Windows
8.1(32 or 64 bit editions),
Windows 7 SP1
(32 or 64 bit editions),
Windows Server 2019, 2016,

#### **Windows Software**

Brother ScanEssentials, Brother iPrint&Scan for Desktop, Kofax PaperPort, Kofax Power PDF Standard v3, Remote Setup

#### **Macintosh Drivers**

AirPrint Scan Support, TWAIN macOS 10.14.x or greater

#### **Macintosh Software**

Brother iPrint&Scan for Desktop, Remote Setup

#### **Linux Drivers**

SANE

#### **Media Handling**

# Automatic Document Feeder (ADF)

80 Sheet<sup>4</sup>

2012R2, 2012

#### Media Sizes<sup>11,12</sup>

Width 50.8 - 215.9mm, Height 50.8 - 355.6mm, Long Paper 5000mm

#### **Plastic Card**

Length (ISO) - 85.60mm, Width (ISO) - 53.98mm

#### **Media Types**

Plain Paper, Thin Paper, Thick Paper, Thicker Paper, Recycled Paper, Business Card, Plastic Card

#### Media

Paper Weight 40 - 200gsm
Paper Thickness 0.08 ~ 0.28mm
Plastic Card Thickness
Up to 1.32mm embossed,
Up to 1.10mm without emboss

# Mobile and Web Connectivity

#### **Brother Mobile Connect**

Use a Brother app to scan to a mobile device running iOS or Android operating system

#### **Brother Apps<sup>9</sup>**

Scan to Searchable PDF, Microsoft PowerPoint, Word, Excel, Easy Scan to Email, Scan to Mobile

#### Web Connect<sup>9,10</sup>

Without a PC you can upload from scan for Box, SharePoint Online, DropBox, Evernote™, OneDrive, OneNote, Google Drive™

#### Fleet Management Tools

#### **Embedded Web Server**

Using the IP address or node name of your device access via a web browser to the web based print management software embedded onto the device using an encrypted password

### LAN/WAN Management Software<sup>2,5</sup>

Brother BRAdmin Light and BRAdmin Professional 4

#### **Network Security**

#### IPv4

DHCP, APIPA (Auto IP), WINS/NetBIOS, DNS Resolver, mDNS, SNMPv1/v2c/v3, ICMP, Web Services(Scan), HTTP/HTTPS server, LLMNR responder, SNTP Client, LDAP

#### IPv6

RA, DNS Resolver, mDNS, LLMNR responder, Web Services(Scan), SNTP Client, HTTP/HTTPS server, ICMPv6

#### IP Filter

Restrict which network users can or cannot access the device over the network (IPv4 only)

#### Wired Network Security

SMTP-AUTH, SSL/TLS (HTTPS, SMTP), SNMP v3, 802.1x (EAP-MD5, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS)

#### **Wireless Network Security**

SMTP-AUTH, TLS, SSL (HTTPS, SMTP), WEP 64/128 bit, WPA-PSK (TKIP/AES), WPA2-PSK (AES), WPA3

#### **Wireless Setup Support**

Wi-Fi Protected Setup™ (WPS)

#### **Security Features**

**Kensington Lock** 

**Firmware Updates** 

Port-based Network Access Control

**E-mail Notifications** 

**E-mail Reports** 

On-Premise Active Directory/LDAP

**Secure Function Lock 3.0** 

**Setting Lock** 

**Secure Key Management** 

#### **Address Book**

#### **Speed Dials**

200 locations for E-mail addresses

#### **Group Send**

A combination of up to 20 groups can be stored for broadcasting

#### **LDAP**

The ability to connect to an external LDAP enabled address book, like Microsoft Exchange

#### **Solutions**

#### **Dedicated UI**

Group registered shortcuts and link it to each user, shortcuts can be displayed as Home Tab just after login

#### **HID Class**

You can set your machine to use external NFC card readers or External Keyboard (USB Connection)

#### **Brother Solutions Interface (BSI)**

Create powerful cloud and on premise solutions directly integrating the advanced print, scan and security capabilities of Brother devices. For more information visit: www.brother.eu/developers

# Consumables & Upgrades

#### **Carton Contents**

ADS machine, detachable ADF. Power supply cord. AC adapter. USB Cable. Quick setup guide. Product safety guide. Warranty

#### **Optional Roller Kit**

PRK-A3001 100,000 Sheets

#### **Optional A3 Carrier Sheet**

CS-A3301 500 times (Pack of 2)

# Dimensions & Weights

# Scanner With Carton (WxDxH)

391 x 243 x 320 mm - 3.46kg

# Scanner Without Carton (WxDxH)

299.5 x 215.9 x 190.5 mm - 2.75kg

#### **Duty Cycle**

#### Maximum Daily

6,000 Sheets

#### Maximum Monthly<sup>1</sup>

120,000 Sheets

#### **Environment**

#### **Power Requirements**

AC: 100-240V, 50/60 Hz, DC: 24V, 1.9A

**Power Consumption** 

Network Standby 2.1W Power Off 0.1W

Scanning 26W

Ready 8.6W Sleep 1.7W

**Sound Power** Scanning <59dB

#### Power Saving Modes Operating Environment

Sleep, Power Down, Auto Power On after power outage, LCD Off Timer

### Storage Environment

5°C - 35°C, 41°F - 95°F

Humidity 20 - 80 %

Humidity 10 - 90 % -20°C to 60°C, -4°F to 140°F

#### Certification

#### **RoHS**

#### **GS Mark**

#### **WHQL**

#### Wi-Fi CERTIFIED

WPA3™ Enterprise, WPA3™ Personal, Wi-Fi Protected Setup™, Wi-Fi Direct®

#### ISIS

Kofax<sup>TM5, 10</sup> VRS Elite 5.2.0 Kofax Express 3.3.0

- 1 Maximum number of scanned pages per month can be used to compare design durability between like Brother products.
  - For maximum scanner life, it is best to choose a scanner with a duty cycle that far exceeds your scan requirements
- 2 Free download from the Brother Solutions Centre http://solutions.brother.com
- 3 All supported using downloadable software
- 4 Capacity varies dependent on paper weight
- 5 Windows Only
- 6 Windows & macOS Only
- 7 Windows server support scanner driver only
- 8 Win7 / Server2008 SP2/R2 Extended Security Update (ESU) legacy support until 10/01/2023
- 9 Requires an Internet connection
- 10 Requires additional activation
- 11 Document sizes larger than A4, but not exceeding A3, can be scanned (single-side) using carrier sheet
- 12 Can scan documents longer than A4 size. When using Brother(TWAIN, ISIS) to scan at 200dpi, the maximum scanning length is 5,000mm



#### Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

